



PureLink

Just Add
Power

LEDCON
professional LED Displays

LEDCON
professional LED Displays

PureLink

Just Add
Power

Big Rooms
Made Easy

PureLink

PureLink

Express KI

PureLink

LEDCON
professional LED Displays

Add
ver

PureLink

VL-VB300-PRO
VL-DGL200



Dual Screen Videobar & BYOD Switcher with 4K / USB 2.0 Wireless Sharing Dongle

For wired and wireless BYOD dual-screen video and data sharing.
Xyte cloud management ready.


VL-PTZ100



Compact 4K Dual-Lens PTZ Camera

3x optical zoom with extra 120° panoramic camera for accurate detection and composite layouts.


VL-BYOD200



4K60 BYOD KVM Presentation Switcher

Wired & wireless BYOD/BYOM with seamless switching and split screen sharing mode.

PureInstall
MicroX4



Superior Passive Micro Coax USB-C Cables

- Passive USB4 Gen2 up to 20Gbps
- 240W EPR up to 2.00m
- Micro coax data transmission up to 5.00m
- 2 proprietary USB-C locking options
- Extensions, adapters and 90° angled options



FlexInstall

Super-flexible ProAV / IT cables for tight spaces.
With graphene nano shielding, detachable colour-coded strain reliefs
and eco-friendly packaging.

Professional Racks & Slide-Out Systems


Premium steel racks engineered for ProAV and ITC integration



NEW
PureTools Chassis

- Signal direction port layout
- On-unit quick-start info
- Smarter mounting
- Better cooling

PT-HDBT-1021WP-TX



2x1 4K HDBaseT 3.0 Wall Plate

- HDMI 2.0 18Gbps (4K 60Hz 4:4:4) over HDBaseT 3.0 up to 100m
- Switchable between USB-C + Power Injection and HDMI + USB-B
- Compatible with 1020 series or any 3rd party HDBaseT 3.0 receiver
- For mediahub2 wall plates, floor tanks and desk connection panels
- RS232, button control & auto switch. Powering and PD options

PT-PSW-21HC-KVM-V2



2x1 USB-C / HDMI KVM Switcher

- 4K 60Hz 4:4:4, HDR 10, Dolby Vision, HDCP 2.2
- 100W USB-C Power Delivery
- 2x USB-A 3.2 Gen1 ports with up to 5Gbps
- Intuitive CEC and RS232 screen control
- GbE, balanced audio CEC and EDID / HDCP

PT-PSW-21KVM-40G



2x1 5K HDBaseT Presentation Switcher

- HDMI 2.1 48Gbps FRL over HDMI and 5K 21:9 over HDBaseT up to 100m
- Upstream - 4x USB3 on TX (5Gbps), 4x USB 2.0 on RX (up to 300Mbps)
- Downstream - USB-C with 100W PD + HDMI / USB-B
- Independent switchable HDMI input at RX for wireless BYOD
- 1G Ethernet pass-through, RS232, CEC & TCP/IP control, break-out button control, TMDS/5V auto switch